

SLIDE BED LATHE NAKAMURA WT-250

Ref: 059001



Zentral

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telefon: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI

Avda. de la provincia, 73

03440 IBI (Alicante)

Telefon: +34 965 553 233 / FAX: +34 966 554 990

Technische Daten

| | |
|--------------------------------|-------------------|
| MODEL | WT250 |
| TYPE | BANCADA INCLINADA |
| CONTROL | FANUC 18 i T |
| DISTANCE BETWEEN POINTS | 555 |
| BAR CAPACITY | 61 |
| DIAMETRO MAX. TORNEADO | 250 |
| AUTOMATIC TURRET | 2 TORRETAS |
| MAIN MOTOR POWER | 11/15 |
| RPM HEADSTOCK | 4.500 |
| YEAR | 1998 |
| EXTERNAL DIMENSIONS | 3475X1933X2020 |

Zentral

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telefon: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI

Avda. de la provincia, 73

03440 IBI (Alicante)

Telefon: +34 965 553 233 / FAX: +34 966 554 990

Standard Ausrüstung

- Control: Fanuc 18i T
- Bar Feeder: Breuning PROFImat
- Main Spindle: A2-6
- Bar Capacity: 65 mm
- Drive: 16.5 kW, 4500 rpm
- Secondary Spindle: A2-5
- Drive: 11 kW, 4500 rpm
- Bar Capacity: 51 mm
- Nqo8h7cd
- Max. Turning Diameter: 250 mm
- Turret, Twin: 12 tool stations x 2
- Live Tools: 3600 rpm / 3.7 kW
- X-Axis: 195 mm
- Z-Axis: 600 mm

Bilder

