

Takumi VC1052

Ref: TAKUMI VC1052



Tech specs

Brand	TAKUMI & HURCO
X Axis stroke	1060
Y Axis travel	520
Z Axis stroke	610
Spindle nose to table surface	115 - 725
Working table area (LxW)	1160x520
Max. Load (Workpiece Load)	650
T slot (WxDxN)	18x100x5
Spindle Nose	BBT-40
Spindle Speed	12.000
Spindle type	Correas
Main motor	7.5/ 15
Cutting Feedrate	36 / 36 / 24
X/Y/Z Axis cutting feedrate	1 - 12000
Servomotor X/Y/Z	1.8 / 3.0 / 2.5
Auto tool changer ATC type	Swing-Arm
Tool storage capacity	24
Max. Tool Diameter	80/ 150
Max. Tool Length	300
Max. Tool Weight	7
Pull stud	BBT-40
Pneumatic pressure	6
Power requirement	30
Machine weight	6.200
Floor space (LxW)	4.629x3.743
Machine Height	3.099

Central

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI

Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

Images

