

CNC Swiss Turning lathe HANWHA XP16S

Ref: HANWHA XP16S



Tech specs

Brand	HANWHA
Model	XP16S
Number control	HANWHA FANUC-I
Max. machining diameter	Ø16
Z1 axis travel	140
Main spindle speed	12,000
Spindle motor	2.2/5.5
No. of OD tools	6 (12mm)
Number of front tools	3 (ER11, Ø20)
Nº of tools cross drill	3 (ER11 x 2, ER16 x 1)
Velocidad Taladrado transversal	6,000
Motor cross drill	0.5
Nº of tools off-center drill	-
Sub spindle speed	8,000
Sub spindle motor	0.55/1.1
Nº tools of back tool	-
Speed of back tool	-
Motor of back tool	-
External dimensions	1,650 x 1,090 x 1,640
Weight	1,800
Electrical power consumption	10kVA, 6.7kW (VCTF 10SQ x 4C)
Air flow rate	120 ~ 150

Central

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI

Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

Images

