
Ferrotall Maquinas-Herramienta, S.L.

Central
Blanco Macael, s/n
Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)
Telephone: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI
Avda. de la provincia, 73
03440 IBI (Alicante)
Telephone: +34 965 553 233 / FAX: +34 966 554 990

Takumi H22S

Ref: TAKUMI H22S



CIF: ESB54013032 - R.M. Alicante, Tomo 2938, Libro 0, Folio 77, Hoja A-92532, Inscrip. 1ª

Ferrotall Maquinas-Herramienta, S.L.

Central
Blanco Macael, s/n
Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)
Telephone: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI
Avda. de la provincia, 73
03440 IBI (Alicante)
Telephone: +34 965 553 233 / FAX: +34 966 554 990

Tech specs

Brand	TAKUMI & HURCO
X Axis stroke	2.200
Y Axis travel	1.650
Z Axis stroke	800
Spindle nose to table surface	150 - 950
Distance between column	1750
Working table area (LxW)	2.400x1.600
Max. Load (Workpiece Load)	8.000
T slot (WxDxN)	22x200x8
Spindle Nose	BBT40
Spindle Speed	15.000
Spindle type	Transmisión directa
Main motor	15/ 18.5
Cutting Feedrate	20/ 20/ 20
X/Y/Z Axis cutting feedrate	12.000
Servomotor X/Y/Z	14/ 9/ 5.5
Auto tool changer ATC type	Swing-Arm
Tool storage capacity	30
Max. Tool Diameter	76/ 150
Max. Tool Length	250
Max. Tool Weight	7
Pneumatic pressure	6
Power requirement	75
Machine weight	27.000
Floor space (LxW)	4.830x6.740
Machine Height	3.950

CIF: ESB54013032 - R.M. Alicante, Tomo 2938, Libro 0, Folio 77, Hoja A-92532, Inscrip. 1ª

Ferrotall Maquinas-Herramienta, S.L.


Central
Blanco Macael, s/n
Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)
Telephone: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI
Avda. de la provincia, 73
03440 IBI (Alicante)
Telephone: +34 965 553 233 / FAX: +34 966 554 990

Images









CIF: ESB54013032 - R.M. Alicante, Tomo 2938, Libro 0, Folio 77, Hoja A-92532, Inscrip. 1ª