

Central

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI


Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

Takumi H32S

Ref: TAKUMI H32S



Tech specs

Brand	TAKUMI & HURCO
X Axis stroke	3.200
Y Axis travel	1.650
Z Axis stroke	800
Spindle nose to table surface	150 - 950
Distance between column	1.750
Working table area (LxW)	3.320x1.600
Max. Load (Workpiece Load)	8.500
T slot (WxDxN)	22x200x8
Spindle Nose	BBT40
Spindle Speed	15.000
Spindle type	Transmisión directa
Main motor	15/ 18.5
Cutting Feedrate	16/ 20/ 20
X/Y/Z Axis cutting feedrate	12.000
Servomotor X/Y/Z	14/ 9/ 5.5
Auto tool changer ATC type	Swing-Arm
Tool storage capacity	30
Max. Tool Diameter	76/ 150
Max. Tool Length	250
Max. Tool Weight	7
Pneumatic pressure	6
Power requirement	75
Machine weight	33.000
Floor space (LxW)	4.670x8.660
Machine Height	3.950

Central

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI

Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

Images

