

Pinnacle DV1432 Double Column Machining Center

Ref: DV-1432



Tech specs

Brand	PINNACLE
X Axis stroke	3.200
Y Axis travel	1.400
Z Axis stroke	900
Spindle nose to table surface	110 - 1.010
Spindle center to column	404
Distance between column	1.400
Working table area (LxW)	3.200x1.200
T slot (WxDxN)	22x150x7
Spindle Nose	ISO50
Spindle inner diameter	100
Spindle Speed	8.000
Spindle type	Engranes
Main motor	15/ 18.5
Draw bar force	1.800
Feed motor X/Y/Z	16/ 20/ 20
X/Y/Z Axis cutting feedrate	10000
Auto tool changer ATC type	DISCO/CADENA
Auto tool changer Cam type	ARM
Tool storage capacity	24/ 32/ 40/ 60
Tool selection (Bi-Direction)	RANDOM
Max. Tool Diameter	115/ 127
Max. Tool Length	350
Max. Tool Weight	20
Pull stud	ISO50
Air supply	6
Required voltage	220
Power requirement	50
Coolant tank capacity	900
Machine weight	17.000
Floor space (LxW)	8.130x4.150
Machine Height	4.500

Central

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI

Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

Images

