

Lathe CNC Tongtai MT-2000

Ref: MT-2000



Tech specs

Brand	TONGTAI
Model	MT-2000 [M]
X/Z Axis stroke	155/ 155
Max. Swing Diameter	210
Max. swing over saddle	230
Max. turning diameter	210 (with robot 120)
Max. turning length	145 (with robot 100)
Pitch of two spindles	440
Spindle Nose	A2-6
Spindle Speed	4.500
Chuck size	8
Through-Spindle Hole diameter	66
Spindle Bearing Diameter	100
Tool storage capacity	12
O.D. Tool	25x25
I.D. Tool	32
Tool capacity (Power Turret)	12 (VDI-40)
Motor (Power Turret)	5.5/ 3.7
O.D. Tool (Power Turret)	25x25
I.D. Tool (Power Turret)	32
Max speed	5.000
X/Z Axis rapid traverse	30/ 30
X/Z Axis servo motor	1.8/ 1.8
Cutting feedrate	0.001 - 5.000
Hydraulic tank capacity	30
Hydraulic motor	1.5
Coolant tank capacity	220
Coolant motor	0.55x2
Floor space (LxWxH)	4.200x2.845x3.120
Weight	6.200 [6.700]

Central

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI

Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

Images

