

Lathe CNC Tongtai TB-20Y

Ref: TB-20Y



Central

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI

Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

Tech specs

Brand	TONGTAI
Model	TB-20Y [YB]
Max. Swing Diameter	620
Max. swing over saddle	340
Max. turning diameter	330
Max. turning length	570 [540]
Spindle Nose	A2-6
Spindle Speed	4.500
Chuck size	8
Through-Spindle Hole diameter	62
Bar capacity	51
Min CS axis indexing increment	0.001
Chuck size (Sub spindle)	- [6]
Through-Spindle Hole diameter	- [35]
Spindle bearing diameter (Sub spindle)	- [90]
Min (Sub spindle)	- [0.001]
Tool Shank	VDI 40
Tool storage capacity	12
O.D. Tool	25x25
I.D. Tool	40
Max. Tool Diameter	20/ M16
Cutting feedrate	0.001 - 500
X/Y/Z/B axis servo motor	2.5/ 1.8/ 2.5/ - [1.8]
Tailstock travel	600 [-]
Center diameter	56 [-]
Coolant tank capacity	160
Coolant motor	0.55
Hydraulic tank capacity	30
Hydraulic motor	1.5
X/Y/Z/B axis rapid traverse	24/ 15/ 30/ - [24]
X/Z/B axis stroke	230/ ±51/ 600/ - [600]
Tailstock taper	MT#5 [-]
Floor space (LxWxH)	2.800 [3.200/ 3.150]x1.940 [2.010/ 2.160]x2.210 [2.210/ 2.330]
Weight	4.800 [5.100/ 6.200]

Central

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI

Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

Images

