

Lathe CNC Tongtai TCS-1500

Ref: TCS-1500



Tech specs

Brand	TONGTAI
Model	TCS-1500 [M]
X/Z Axis stroke	170/ 400 [200/ 400]
Max. Swing Diameter	520
Max. swing over saddle	320
Max. turning diameter	320
Max. turning length	400 [300]
Bar capacity	44
Spindle Nose	A2-5
Spindle Speed	4.800
Chuck size	6
Through-Spindle Hole diameter	56
Spindle Bearing Diameter	80
Tool storage capacity	12 [-]
O.D. Tool	25x25 [-]
I.D. Tool	32/ 40 [- / -]
Tool capacity (Power Turret)	- [12 (VDI-40)]
Motor (Power Turret)	- [5.5/ 3.7]
O.D. Tool (Power Turret)	25x25
I.D. Tool (Power Turret)	- [40]
Max speed	- [6.000]
X/Z Axis rapid traverse	30/ 30
X/Z Axis servo motor	1.8/ 1.8
Cutting feedrate	0.001 - 5.000
Tailstock/Hydraulic stroke	275/ 100
Tailstock taper	MT#4
Drive system	Manual
Hydraulic tank capacity	30
Hydraulic motor	1.5
Coolant tank capacity	95
Coolant motor	0.55x1
Floor space (LxWxH)	3.231x1.820x2.380
Weight	3.250 [3.350]

Central

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI

Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

Images

