

## Double Column Machining Center Takumi G5

Ref: TAKUMI G5



## Tech specs

|                                      |                |
|--------------------------------------|----------------|
| <b>Brand</b>                         | TAKUMI & HURCO |
| <b>X Axis stroke</b>                 | 550            |
| <b>Y Axis travel</b>                 | 600            |
| <b>Z Axis stroke</b>                 | 350            |
| <b>Spindle nose to table surface</b> | 90 - 440       |
| <b>Distance between column</b>       | 640            |
| <b>Working table area (LxW)</b>      | 650x600        |
| <b>Max. Load (Workpiece Load)</b>    | 500            |
| <b>T slot (WxDxN)</b>                | 14x100x6       |
| <b>Spindle Nose</b>                  | HSKE-40        |
| <b>Spindle Speed</b>                 | 24.000         |
| <b>Spindle type</b>                  | Built-in       |
| <b>Main motor</b>                    | 10/ 12         |
| <b>Feed motor X/Y/Z</b>              | 24/ 24/ 18     |
| <b>X/Y/Z Axis cutting feedrate</b>   | 12000          |
| <b>Servomotor X/Y/Z</b>              | 1.6/ 1.6/ 3.0  |
| <b>Auto tool changer ATC type</b>    | Flat type      |
| <b>Tool storage capacity</b>         | 16             |
| <b>Max. Tool Diameter</b>            | 80/ 120        |
| <b>Max. Tool Length</b>              | 120            |
| <b>Max. Tool Weight</b>              | 1.5            |
| <b>Pull stud</b>                     | HSK-E40        |
| <b>Pneumatic pressure</b>            | 6              |
| <b>Power requirement</b>             | 20             |
| <b>Machine weight</b>                | 5000           |
| <b>Floor space (LxW)</b>             | 3.700x3.270    |
| <b>Machine Height</b>                | 2.670          |

**Central**

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

**Delegation IBI**

Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

## Images

