

Takumi UR1000

Ref: TAKUMI UR1000



Central

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI

Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

Tech specs

Brand	TAKUMI & HURCO
X Axis stroke	1500
Y Axis travel	2040
Z Axis stroke	1000
Max. workpiece height	700
Spindle nose to table surface	810
Table diameter (Ø)	Ø1000
Max. Load (Workpiece Load)	2500
T slot (WxDxN)	22x8
Spindle type	Built-in
Spindle Speed	24.000
Main motor	42/ 55
Spindle Nose	HSK - A63
Cutting Feedrate	20/ 16/ 20
X/Y/Z Axis cutting feedrate	12.000
C Axis rotation	360
Positioning accuracy of the C axis	± 2
Max speed C axis	90
C Axis rated torque	1230
Clamping torque C axis	4000
Rotation angle of the A axis	± 110°
Positioning accuracy of the A axis	8
A axis velocity	180
A Axis rated torque	782
Clamping torque A axis	4000
Auto tool changer ATC type	Chain type
Tool storage capacity	40
Max. Tool Diameter	75/ 100
Max. Tool Length	400
Max. Tool Weight	7
Pneumatic pressure	6
Power requirement	80
Machine weight	28.000
Floor space (LxW)	4.590x4.625
Machine Height	4.865

Central

Blanco Macael, s/n

Pol. Ind. Las Norias - 03670 Monforte del Cid (Alicante)

Telephone: +34 966 662 296 / FAX: +34 966 663 856

Delegation IBI

Avda. de la provincia, 73

03440 IBI (Alicante)

Telephone: +34 965 553 233 / FAX: +34 966 554 990

Images

